

IFWO

RAW SEQUENCE LISTINGPATENT APPLICATION: **US/10/791,814**DATE: 08/16/2004

TIME: 09:08:55

Input Set : A:\2004-08-10 2121-0180P.ST25.txt
Output Set: N:\CRF4\08162004\J791814.raw

3 <110> APPLICANT: GUY, GOROCHOV ET AL. 5 <120> TITLE OF INVENTION: METHODS FOR CONSTRUCTION AND SCREENING OF LIBRARIES OF CHEMOKINE VARIANTS 7 <130> FILE REFERENCE: 2121-0180P 9 <140> CURRENT APPLICATION NUMBER: US 10/791,814 10 <141> CURRENT FILING DATE: 2004-03-04 12 <150> PRIOR APPLICATION NUMBER: US 09/945,665 13 <151> PRIOR FILING DATE: 2001-09-05 15 <150> PRIOR APPLICATION NUMBER: PCT/EP 02/11045 16 <151> PRIOR FILING DATE: 2002-09-05 18 <160> NUMBER OF SEQ ID NOS: 38 20 <170> SOFTWARE: PatentIn version 3.1 22 <210> SEQ ID NO: 1 23 <211> LENGTH: 10 24 <212> TYPE: PRT 25 <213> ORGANISM: Unknown 27 <220> FEATURE: 28 <223> OTHER INFORMATION: Cloned peptide sequence selected using the biopanning strategy (mammalian) 30 <400> SEQUENCE: 1 32 Leu Ser Pro Val Ser Ser Gln Ser Ser Ala 33 1 36 <210> SEQ ID NO: 2 37 <211> LENGTH: 10 38 <212> TYPE: PRT 39 <213> ORGANISM: Unknown 41 <220> FEATURE: 42 <223> OTHER INFORMATION: Cloned peptide sequence selected using the biopanning strategy (mammalian) 44 <400> SEQUENCE: 2 46 Phe Ser Pro Leu Ser Ser Gln Ser Ser Ala 47 1 50 <210> SEQ ID NO: 3 51 <211> LENGTH: 10 52 <212> TYPE: PRT 53 <213> ORGANISM: Unknown 55 <220> FEATURE: 56 <223> OTHER INFORMATION: Cloned peptide sequence selected using the biopanning strategy (mammalian) 58 <400> SEQUENCE: 3

64 <210> SEQ ID NO: 4 65 <211> LENGTH: 10

61 1

60 Leu Ser Pro Met Ser Ser Gln Ser Pro Ala

66 <212> TYPE: PRT

67 <213> ORGANISM: Unknown

69 <220> FEATURE:

```
PATENT APPLICATION: US/10/791,814
                                                             TIME: 09:08:55
                    Input Set : A:\2004-08-10 2121-0180P.ST25.txt
                    Output Set: N:\CRF4\08162004\J791814.raw
    70 <223> OTHER INFORMATION: Cloned peptide sequence selected using the biopanning
strategy (mammalian)
    72 <400> SEQUENCE: 4
    74 Trp Ser Pro Leu Ser Ser Gln Ser Pro Ala
    78 <210> SEQ ID NO: 5
    79 <211> LENGTH: 10
    80 <212> TYPE: PRT
    81 <213> ORGANISM: Unknown
    83 <220> FEATURE:
    84 <223> OTHER INFORMATION: Cloned peptide sequence selected using the biopanning
strategy (mammalian)
    86 <400> SEQUENCE: 5
    88 Trp Ser Pro Leu Ser Ser Gln Ser Ser Pro
    92 <210> SEQ ID NO: 6
    93 <211> LENGTH: 10
    94 <212> TYPE: PRT
    95 <213> ORGANISM: Unknown
    97 <220> FEATURE:
    98 <223> OTHER INFORMATION: Cloned peptide sequence selected using the biopanning
strategy (mammalian)
    100 <400> SEQUENCE: 6
    102 Leu Ser Pro Gln Ser Ser Leu Ser Ser Ser
    103 1
    106 <210> SEQ ID NO: 7
    107 <211> LENGTH: 10
    108 <212> TYPE: PRT
    109 <213> ORGANISM: Unknown
    111 <220> FEATURE:
    112 <223> OTHER INFORMATION: Cloned peptide sequence selected using the biopanning
strategy (mammalian)
    114 <400> SEQUENCE: 7
    116 Ala Ser Ser Gly Ser Ser Gln Ser Thr Ser
    117 1
    120 <210> SEQ ID NO: 8
    121 <211> LENGTH: 10
    122 <212> TYPE: PRT
    123 <213> ORGANISM: Unknown
    125 <220> FEATURE:
    126 <223> OTHER INFORMATION: Cloned peptide sequence selected using the biopanning
trategy (mammalian)
    128 <400> SEQUENCE: 8
    130 Ile Ser Ala Gly Ser Ser Gln Ser Thr Ser
    134 <210> SEQ ID NO: 9
    135 <211> LENGTH: 10
    136 <212> TYPE: PRT
    137 <213> ORGANISM: Unknown
    139 <220> FEATURE:
    140 <223> OTHER INFORMATION: Cloned peptide sequence selected using the biopanning
trategy (mammalian)
    142 <400> SEQUENCE: 9
```

RAW SEQUENCE LISTING

144 Arg Ser Pro Met Ser Ser Gln Ser Ser Pro 145 1 5 5 10 10

PATENT APPLICATION: US/10/791,814 TIME: 09:08:55 Input Set : A:\2004-08-10 2121-0180P.ST25.txt Output Set: N:\CRF4\08162004\J791814.raw 148 <210> SEQ ID NO: 10 149 <211> LENGTH: 10 150 <212> TYPE: PRT 151 <213> ORGANISM: Unknown 153 <220> FEATURE: 154 <223> OTHER INFORMATION: Cloned peptide sequence selected using the biopanning strategy (mammalian) 156 <400> SEQUENCE: 10 158 Tyr Ser Pro Ser Ser Ser Leu Ala Pro Ala 162 <210> SEQ ID NO: 11 163 <211> LENGTH: 10 164 <212> TYPE: PRT 165 <213> ORGANISM: Unknown 167 <220> FEATURE: 168 <223> OTHER INFORMATION: Cloned peptide sequence selected using the biopanning strategy (mammalian) 170 <400> SEQUENCE: 11 172 Met Ser Pro Leu Ser Ser Gln Ala Ser Ala 173 1 176 <210> SEQ ID NO: 12 177 <211> LENGTH: 10 178 <212> TYPE: PRT 179 <213> ORGANISM: Unknown 181 <220> FEATURE: 182 <223> OTHER INFORMATION: Cloned peptide sequence selected using the biopanning strategy (mammalian) 184 <400> SEQUENCE: 12 186 Ala Ser Pro Met Ser Ser Gln Ser Ser Ser 190 <210> SEQ ID NO: 13 191 <211> LENGTH: 10 192 <212> TYPE: PRT 193 <213> ORGANISM: Unknown 195 <220> FEATURE: 196 <223> OTHER INFORMATION: Cloned peptide sequence selected using the biopanning strategy (mammalian) 198 <400> SEQUENCE: 13 200 Gln Ser Pro Leu Ser Ser Gln Ala Ser Thr 201 1 204 <210> SEQ ID NO: 14 205 <211> LENGTH: 10 206 <212> TYPE: PRT 207 <213> ORGANISM: Unknown 209 <220> FEATURE: 210 <223> OTHER INFORMATION: Cloned peptide sequence selected using the biopanning strategy (mammalian) 212 <400> SEQUENCE: 14 214 Gln Ser Pro Leu Ser Ser Thr Ala Ser Ser 218 <210> SEQ ID NO: 15 219 <211> LENGTH: 10 220 <212> TYPE: PRT

RAW SEQUENCE LISTING

221 <213> ORGANISM: Unknown

TIME: 09:08:55

Input Set : A:\2004-08-10 2121-0180P.ST25.txt Output Set: N:\CRF4\08162004\J791814.raw 223 <220> FEATURE: 224 <223> OTHER INFORMATION: Cloned peptide sequence selected using the biopanning strategy (mammalian) 226 <400> SEQUENCE: 15 228 Leu Ser Pro Leu Ser Ser Gln Ser Ala Ala 229 1 232 <210> SEQ ID NO: 16 233 <211> LENGTH: 10 234 <212> TYPE: PRT 235 <213> ORGANISM: Unknown 237 <220> FEATURE: 238 <223> OTHER INFORMATION: Cloned peptide sequence selected using the biopanning strategy (mammalian) 240 <400> SEQUENCE: 16 242 Gly Ser Ser Ser Ser Gln Thr Pro Ala 243 1 246 <210> SEQ ID NO: 17 247 <211> LENGTH: 10 248 <212> TYPE: PRT 249 <213> ORGANISM: Unknown 251 <220> FEATURE: 252 <223> OTHER INFORMATION: Cloned peptide sequence selected using the biopanning strategy (mammalian) 254 <400> SEQUENCE: 17 256 Tyr Ser Pro Leu Ser Ser Gln Ser Ser Pro 257 1 5 260 <210> SEQ ID NO: 18 261 <211> LENGTH: 10 262 <212> TYPE: PRT 263 <213> ORGANISM: Unknown 265 <220> FEATURE: 266 <223> OTHER INFORMATION: Cloned peptide sequence selected using the biopanning strategy (mammalian) 268 <400> SEQUENCE: 18 270 Phe Ser Ser Val Ser Ser Gln Ser Ser Ser 10 274 <210> SEQ ID NO: 19 275 <211> LENGTH: 9 276 <212> TYPE: PRT 277 <213> ORGANISM: Artificial sequence 279 <220> FEATURE: 280 <223> OTHER INFORMATION: tag HA 1.1 peptide sequence 283 <400> SEQUENCE: 19 285 Tyr Pro Tyr Asp Val Pro Asp Tyr Ala 286 1 290 <210> SEQ ID NO: 20 291 <211> LENGTH: 39 292 <212> TYPE: DNA 293 <213> ORGANISM: Artificial sequence 295 <220> FEATURE: 296 <223> OTHER INFORMATION: PCR downstream primer 298 <400> SEQUENCE: 20 299 tggggcccct ctagacatct ccaaaqaqtt qatqtactc 39

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/791,814

TIME: 09:08:55



RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/791,814

Input Set: A:\2004-08-10 2121-0180P.ST25.txt
Output Set: N:\CRF4\08162004\J791814.raw

302 <210> SEQ ID NO: 21 303 <211> LENGTH: 99 304 <212> TYPE: DNA 305 <213> ORGANISM: Artificial sequence 307 <220> FEATURE: 308 <223> OTHER INFORMATION: PCR upstream primer 310 <220> FEATURE: 311 <221> NAME/KEY: Unsure 312 <222> LOCATION: (25)..(25) 313 <223> OTHER INFORMATION: n = a, t, c or g 315 <220> FEATURE: 316 <221> NAME/KEY: misc_feature 317 <222> LOCATION: (25)..(26) 318 <223> OTHER INFORMATION: n is a, c, g, or t 320 <220> FEATURE: 321 <221> NAME/KEY: misc feature 322 <222> LOCATION: (31)..(31) 323 <223> OTHER INFORMATION: n is a, c, g, or t 325 <220> FEATURE: 326 <221> NAME/KEY: misc feature 327 <222> LOCATION: (34)..(35) 328 <223> OTHER INFORMATION: n is a, c, g, or t 330 <220> FEATURE: 331 <221> NAME/KEY: misc feature 332 <222> LOCATION: (43)..(44) 333 <223> OTHER INFORMATION: n is a, c, g, or t 335 <220> FEATURE: 336 <221> NAME/KEY: misc feature 337 <222> LOCATION: (46)..(46) 338 <223> OTHER INFORMATION: n is a, c, q, or t 340 <220> FEATURE: 341 <221> NAME/KEY: misc_feature 342 <222> LOCATION: (49)..(49) 343 <223> OTHER INFORMATION: n is a, c, q, or t 345 <220> FEATURE: 346 <221> NAME/KEY: misc_feature 347 <222> LOCATION: (52)..(52) 348 <223> OTHER INFORMATION: n is a, c, g, or t 350 <400> SEQUENCE: 21 W--> 351 ctcgcggccc agccggccat ggccnnktcc ncannktcct cgnnknccnc ancctgctgc 60 353 tttgcctaca ttgcgcggcc gctgccccgt gcccacatc 99 357 <210> SEQ ID NO: 22 358 <211> LENGTH: 10 359 <212> TYPE: PRT 360 <213> ORGANISM: Unknown 362 <220> FEATURE: 363 <223> OTHER INFORMATION: Cloned peptide sequence selected using the biopanning strategy (mammalian) 365 <400> SEQUENCE: 22

367 Ile Ser Ala Gly Ser Ser Glu Leu Ala Ala

RAW SEQUENCE LISTING ERROR SUMMARY DATE: 08/16/2004 PATENT APPLICATION: US/10/791,814 TIME: 09:08:56

Input Set : A:\2004-08-10 2121-0180P.ST25.txt
Output Set: N:\CRF4\08162004\J791814.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

```
Seq#:21; N Pos. 25,26,31,34,35,43,44,46,49,52
Seq#:24; Xaa Pos. 1,3,4,8,9,10
Seq#:25; Xaa Pos. 4
Seq#:26; Xaa Pos. 8
Seq#:28; Xaa Pos. 1,3,4,7,8,9,10
Seq#:29; Xaa Pos. 4
Seq#:37; Xaa Pos. 7
Seq#:38; Xaa Pos. 10
```

Invalid Line Length:

The rules require that a line not exceed 72 characters in length. This includes spaces.

```
Seq#:1; Line(s) 5,28
Seq#:2; Line(s) 42
Seq#:3; Line(s) 56
Seq#:4; Line(s) 70
Seq#:5; Line(s) 84
Seq#:6; Line(s) 98
Seq#:7; Line(s) 112
Seq#:8; Line(s) 126
Seq#:9; Line(s) 140
Seq#:10; Line(s) 154
Seg#:11; Line(s) 168
Seq#:12; Line(s) 182
Seq#:13; Line(s) 196
Seg#:14; Line(s) 210
Seq#:15; Line(s) 224
Seq#:16; Line(s) 238
Seq#:17; Line(s) 252
Seq#:18; Line(s) 266
Seq#:22; Line(s) 363
```

Seq#:23; Line(s) 377

VERIFICATION SUMMARY

DATE: 08/16/2004

PATENT APPLICATION: US/10/791,814 TIME: 09:08:56

Input Set : A:\2004-08-10 2121-0180P.ST25.txt
Output Set: N:\CRF4\08162004\J791814.raw

L:351	M:341	W:	(46)	"n"	or	"Xaa"	used,	for	SEQ	ID#:21	after	pos.:0
L:417	M:341	W:	(46)	"n"	or	"Xaa"	used,	for	SEQ	ID#:24	after	pos.:0
L:438	M:341	W:	(46)	"n"	or	"Xaa"	used,	for	SEQ	ID#:25	after	pos.:0
L:459	M:341	W:	(46)	"n"	or	"Xaa"	used,	for	SEQ	ID#:26	after	pos.:0
L:512	M:341	W:	(46)	"n"	or	"Xaa"	used,	for	SEQ	ID#:28	after	pos.:0
L:533	M:341	W:	(46)	"n"	or	"Xaa"	used,	for	SEQ	ID#:29	after	pos.:0
L:651	M:341	W:	(46)	"n"	or	"Xaa"	used,	for	SEQ	ID#:37	after	pos.:0
L:671	M:341	W:	(46)	"n"	or	"Xaa"	used,	for	SEQ	ID#:38	after	pos.:0